

Stealing the LIGHTSHOW (Part Two) — LIGHTSHIFT and LIGHTSHOW

Mandiant Intelligence and Consulting

Mar 09, 2023

7 min read

In part one on [North Korea's UNC2970](#), we covered [UNC2970](#)'s tactics, techniques and procedures (TTPs) and tooling that they used over the course of multiple intrusions. In this installment, we will focus on how [UNC2970](#) utilized Bring Your Own Vulnerable Device (BYOVD) to further enable their operations.

During our investigation, Mandiant consultants identified most of the original compromised hosts, targeted by [UNC2970](#), contained the files `%temp%\<random>_SB_SMBUS_SDK.dll` and suspicious drivers, created around the same time on disk.

At the time Mandiant initially identified these files, we were unable to determine how they were dropped or the exact use for these files. It wasn't until later in the investigation, during analysis of a forensic image, where the pieces started falling into place. A consultant noticed multiple keyword references to the file `C:\ProgramData\USOShared\Share.DAT` (MD5: `def6f91614cb47888f03658b28a1bda6`). Upon initial glance at the Forensic Image, this file was no longer on disk. However, Mandiant was able to recover the original file, and the initial analysis of the sample found that `Share.DAT` was a XORed data blob, which was encoded with the XOR key `0x59`.

The decoded payload (MD5: `9176f177bd88686c6beb29d8bb05f20c`), referred to by Mandiant as [LIGHTSHIFT](#), is an in-memory only dropper. The [LIGHTSHIFT](#) dropper distributes a payload (MD5: `ad452d161782290ad5004b2c9497074f`) that Mandiant refers to as [LIGHTSHOW](#). Once loaded into memory, [LIGHTSHIFT](#) invokes the exports `Create` then `Close` in that order. The response from `Close` is written as a hex formatted address to the file `C:\Windows\windows.ini`.

C:\Windows\System32\Drivers with one of the following names chosen at random and appended with mgr:

- circlass
- dmvsc
- hidir
- isapnp
- umpass

LIGHTSHOW then creates the registry key

HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\`<service name>` where `<service name>` is the same as the chosen filename without appended mgr. It then creates a registry key with the value name `ImagePath`, which points to the path of the driver. The sample then loads the driver using `NtLoadDriver`. LIGHTSHOW drops and loads a dummy DLL `%temp%\<random>_SB_SMBUS_SDK.dll` to register itself to the driver as a legitimate caller.

Using the vulnerable driver, LIGHTSHOW can perform arbitrary read and write operations to kernel memory. LIGHTSHOW uses this read/write primitive to patch different kernel routines, which are related to the type of facilities an Endpoint Detection and Response (EDR) software may use, to enable evasion of said EDR software. After the read and write operations to kernel memory, the sample unloads and deletes `%temp%\<random>_SB_SMBUS_SDK.dll`.

Examining the chain of execution, we see further obfuscation techniques being employed in LIGHTSHOW. UNC2970 has a concerted effort towards obfuscation and employs multiple methods to do this throughout the entire chain of delivery and execution.

```

IDA View-A                                     Hex View-1                                     Structures
.text:000007FEF1551010 var_7EC                = byte ptr -7ECh
.text:000007FEF1551010 var_7E0                = word ptr -7E0h
.text:000007FEF1551010 var_10                 = qword ptr -10h
.text:000007FEF1551010 var_s0                 = byte ptr 0
.text:000007FEF1551010 arg_0                  = qword ptr 10h
.text:000007FEF1551010 arg_8                  = qword ptr 18h
.text:000007FEF1551010 arg_10                 = qword ptr 20h
.text:000007FEF1551010 arg_18                 = qword ptr 28h
.text:000007FEF1551010
.text:000007FEF1551010 ; __unwind { // __GSHandlerCheck
v .text:000007FEF1551010 mov [rsp-8+arg_10], rbx
.text:000007FEF1551015
.text:000007FEF1551015 loc_7FEF1551015: ; DATA XREF: sub_7FEF157D4F3:loc_7FEF15733834o
.text:000007FEF1551015 mov [rsp-8+arg_18], rdi
.text:000007FEF155101A push rbp
.text:000007FEF155101B lea rbp, [rsp-780h]
.text:000007FEF1551023 sub rsp, 880h
.text:000007FEF155102A mov rax, cs:qword_7FEF1562000
.text:000007FEF1551031 xor rax, rsp ; Non-zero XOR
.text:000007FEF1551034 mov [rbp+780h+var_10], rax
.text:000007FEF155103B mov rbx, rcx
.text:000007FEF155103E lea rcx, [rbp+780h+var_7E0+1]
.text:000007FEF1551042 xor edx, edx
.text:000007FEF1551044 mov r8d, 7CFh
.text:000007FEF155104A mov byte ptr [rbp+780h+var_7E0], 0
.text:000007FEF155104E call sub_7FEF155A3E0
.text:000007FEF1551053 mov r11, gs:30h
.text:000007FEF155105C mov rdi, [r11+60h]
.text:000007FEF1551060 mov [rsp+880h+var_808], 6C64746Eh ; ntdll
.text:000007FEF1551068 mov [rsp+880h+var_804], 6Ch ; 'l'
.text:000007FEF155106F mov [rbp+780h+var_800], 7551744Eh ; NtQueryVirtualMemory
.text:000007FEF1551076 mov [rbp+780h+var_7FC], 56797265h
.text:000007FEF155107D
.text:000007FEF155107D loc_7FEF155107D: ; DATA XREF: sub_7FEF157B49C:loc_7FEF15783C04o
.text:000007FEF155107D ; sub_7FEF157753A+37444o
.text:000007FEF155107D mov [rbp+780h+var_7F8], 75747269h
.text:000007FEF1551084 mov [rbp+780h+var_7F4], 654D6C61h
.text:000007FEF1551088 mov [rbp+780h+var_7F0], 79726F6Dh
.text:000007FEF1551092 mov [rbp+780h+var_7EC], 0
.text:000007FEF1551096 test rbx, rbx
.text:000007FEF1551099 jnz short loc_7FEF15510A2
.text:000007FEF155109B xor eax, eax
.text:000007FEF155109D jmp loc_7FEF1551183
.text:000007FEF15510A2 ; -----
.text:000007FEF15510A2
.text:000007FEF15510A2 loc_7FEF15510A2: ; CODE XREF: Create+89fj
.text:000007FEF15510A2 lea rcx, [rsp+880h+var_808] ; ntdll
.text:000007FEF15510A2 ; } // starts at 7FEF1551010
.text:000007FEF15510A7
.text:000007FEF15510A7 loc_7FEF15510A7: ; DATA XREF: .rdata:000007FEF15608A44o
.text:000007FEF15510A7 ; .rdata:000007FEF15608B84o ...
.text:000007FEF15510A7 ; __unwind { // __GSHandlerCheck
.text:000007FEF15510A7 mov [rsp+880h+arg_8], rsi
.text:000007FEF15510AF call sub_7FEF1579D0E
.text:000007FEF15510B4 xchg eax, esp
.text:000007FEF15510B5 lea rdx, [rbp+780h+var_800] ; NtQueryVirtualMemory
.text:000007FEF15510B9 mov rcx, rax
.text:000007FEF15510BC push rcx
000004BC 000007FEF15510BC: Create+AC (Synchronized with Hex View-1)

```

Figure 2: LIGHTSHOW Obfuscation

LIGHTSHOW is another example of tooling that looks to capitalize on the technique of BYOVD. BYOVD is a technique that utilizes the abuse of legitimate and trusted, but vulnerable drivers, to bypass kernel level protections. This technique has been utilized by adversaries ranging from financial actors, such as [UNC3944](#), to espionage actors like UNC2970, which shows its usefulness during intrusion operations. AHNLab recently released a [report](#) on activity tracked as Lazarus Group that focused largely on the use of BYOVD. While Mandiant did not observe the hashes included in the AHNLab report, the use of `SB_SMBUS_SDK.dll` as well as other similarities, such as the exported functions `Create` and `Close`, indicate an overlap between the activity detailed in this blog post and those detailed by AHNLab.

Throughout several incidents we responded to in 2022 that involved UNC2970, we observed them utilizing a small set of vulnerable drivers. This includes the [Dell DBUtil 2.3](#) and the ENE Technology device drivers. UNC2970 utilized both of these drivers in an attempt to evade detection. These two drivers, and many more, are found in the [Kernel Driver Utility](#) (KDU) toolkit. With this in mind, it is likely that we will continue to see UNC2970 abuse vulnerable drivers from other vendors.

Mandiant has worked to detect and mitigate BYOVD techniques for a [number of years](#) and has worked closely with industry allies to report vulnerabilities when discovered. During research being carried out on UNC2970 we discovered a [vulnerable driver](#) that the actor had access to, but did not know was vulnerable - essentially making it a 0day in the wild but not being actively exploited. This was verified through our Offensive Task Force who subsequently carried out a notification to the affected organization and reported the vulnerability to MITRE, which was assigned [CVE-2022-42455](#).

Outlook and Implications

Mandiant continues to observe multiple threat actors utilizing BYOVD during intrusion operations. Because this TTP provides adversaries an effective means to bypass and mitigate EDR, we assess that it will continue to be utilized and adapted into actor tooling. The continued targeting of security researchers by UNC2970 also provides an interesting way that the group can potentially continue to expand their toolset to gain an upper hand with BYOVD.

Mitigations

Because attestation signing is a legitimate Microsoft program and the resulting drivers are signed with Microsoft certificates, execution-time detection is made much more difficult as most EDR tools and Anti-Viruses will allow binaries signed with Microsoft certificates to load. The recent blog post released by Mandiant on [UNC3944 driver operations](#) details multiple techniques that can be used by organizations to hunt for the abuse of attestation signing. If you haven't already, don't forget to read [part one on North Korea's UNC2970](#). Additionally, Microsoft recently released a report detailing how organizations can [harden their environment against potentially vulnerable third-party developed drivers](#).

Indicators of Compromise

MD5	Signature
def6f91614cb47888f03658b28a1bda6	XOR'd LIGHTSHIFT
9176f177bd88686c6beb29d8bb05f20c	LIGHTSHIFT
ad452d161782290ad5004b2c9497074f	LIGHTSHOW
7e6e2ed880c7ab115fca68136051f9ce	ENE Driver
SB_SMBUS_SDK.dll	LIGHTSHOW Dummy DLL
C:\Windows\windows.ini	LIGHTSHIFT Output

Signatures

LIGHTSHIFT

```
rule M_Code_LIGHTSHIFT
{
    meta:
        author = "Mandiant"
        description = "Hunting rule for LIGHTSHIFT"
```

```
sha256 = "ce501fd5c96223fb17d3fed0da310ea121ad83c463849059418639d211933aa4"
```

```
strings:
```

```
$p00_0 = {488b7c24??448d40??48037c24??488bcfff15[4]817c24[5]74??488b4b??33d2}
```

```
$p00_1 = {498d7c01??8b47??85c075??496345??85c07e??8b0f41b9}
```

```
condition:
```

```
uint16(0) == 0x5A4D and uint32(uint32(0x3C)) == 0x00004550 and
```

```
(
```

```
($p00_0 in (750..11000) and $p00_1 in (0..8200))
```

```
)
```

```
}
```

LIGHTSHOW

```
rule M_Code_LIGHTSHOW
```

```
{
```

```
meta:
```

```
author = "Mandiant"
```

```
description = "Hunting rule For LIGHTSHOW."
```

```
md5 = "ee5057da3e38b934dae15644c6eb24507fb5a187630c75725075b24a70065452"
```

```
strings:
```

```
$E01 = { 46 75 64 4d 6f 64 75 6c 65 2e 64 6c 6c }
```

```
$I01 = { 62 63 72 79 70 74 2e 64 6c 6c }
```

```
$I02 = { 4b 45 52 4e 45 4c 33 32 2e 64 6c 6c }
```

```
$I03 = { 75 73 65 72 33 32 2e 64 6c 6c 00 }
```

```
$H1 = { 4D 5A 90 00 }
```

```
$H2 = { 69 73 20 70 72 6F 67 72 61 6D 20 63 61 6E 6E 6F }
```

```
$F01 = { 47 65 74 4d 6f 64 75 6c 65 46 69 6c 65 4e 61 6d 65 57 }
```

```
$F02 = { 47 65 74 4d 6f 64 75 6c 65 48 61 6e 64 6c 65 41 }
```

```
$F03 = { 47 65 74 46 69 6c 65 54 79 70 65 }
```

```
$F04 = { 47 65 74 56 65 72 73 69 6f 6e }
```

```
$F05 = { 51 75 65 72 79 53 65 72 76 69 63 65 53 74 61 74 75 73 }
```

```
$F06 = { 42 43 72 79 70 74 4f 70 65 6e 41 6c 67 6f 72 69 74 68 6d 50 72 6f  
76 69 64 65 72 }
```

```
$M01 = { 68 2d 79 6e b1 }
```

```
$M02 = { 68 ea 71 c2 55 }
```

```
$M03 = { 66 b8 ad eb }
$M04 = { 4c 8d 2c 6d b3 6c 05 39 }
$M05 = { 48 8d 2c 95 08 9d ec 9a }
$S01 = { 48 8d 0c f5 a3 cd 0a eb}
$S02 = { 81 f9 7f 56 e6 0a}
```

condition:

```
($H1 in (0..2048)) and ($H2 in (0..2048)) and filesize < 100MB and filesize >
5KB and all of ($M0*) and all of ($E*) and all of ($I0*) and 6 of ($F0*) and all of
($S0*)
```

```
}
```

© Copyright 2023 Mandiant. All rights reserved.

Always Active